



www.IetLtd.com Proudly serving laboratories worldwide since 1979

CALL 001.847.913.0777 for Certified, Refurbished Lab Equipment

BioPharma Lab Closed! Over 500 lots available

Please contact IET for more details on Biotech/BioPharm/Microbial Lab Closing Lots.

- Beckman pH/Temp/mV meter
- Beckman Coulter 017 Particle Counter
- Chemunex Scan RDI
- Napco 303 incubator. Dual Door, Benchtop Unit
- New Brunswick Scientific G-25/G25 Controlled Environment Incubator/Shaker
- Beckman TJ-6 Benchtop Centrifuge, Variable Speed. (2 Units available)
- Eppendorf Refrigerated Centrifuge 5804R
- MJ Research PTC-200 Peltier Thermal Cycler. DNA Engine; with Alpha Well Single ALS (3 units available)
- Germfree Hood 4' Estimated 48"Wx30"Dx60"H Overall Exterior Dimensions; Magnehelic Differential Pressure Gauge.
- Zeiss inverted microscope. Binocular 10x Eyepieces; 5-Position Objective Turret with (1) Lens; Top Light Source
- Zeiss microscope. Binocular 3-Position Turret in wood box
- Shimadzu TOC-Vesh Total Organic Carbon Analyzer with autosampler
- Teledyne Gurley 4110 Densitometer
- Omega chart recorder
- Fisher Scientific Hood 5'. Exterior Dimensions: 72"Wx30"Dx96" OAH-Estimated; Gas Jets, Electrical Outlets, Integral Acid/Flammable Storage Cabinets (3 units available)
- Grinder
- Analect Instrument TSO-20. Analect FTIR Spectrometer and power supply
- Kennedy Tool box two part
- Steris VHP 1000ED Bio-Decontamination System
- New Brunswick Scientific Bioflow 3000 bioreactor. Estimated 3L Capacity; K&D Magmotor Strirrer Model S28-G200X, BRUNSWICK BIOFLO 3000 Autoclavable Fermentor & Bioreactor The Universal Benchtop Bioreactor For Fermentation and Cell Culture BioFlo 3000 is an advanced bioprocessing system designed to maximize yields in both fermentation and cell culture. Ideally suited to meet the changing needs of the research laboratory, this versatile fermentor/bioreactor is capable of producing high yields of biomass or secreted products from virtually any microbial, animal, insect and plant cell line. The stirred-tank system comes complete with everything needed for out-of-the-box fermentor start-up.
- TRC HyPer Phase

- Oven Prototype
- Medi-pak
- ProSeal 44. Heat Sealer for posters, etc. large with dozens of large unused poster boards, sheets.
- McCall Refrigerator
- Con-Aire Tank
- Holaday 1501 Microwave Meter
- Guided Wave 25 cm Vapor Probe (2 units available)
- Brooklyn Thermometer (4 units available)
- Total IMM Thermometer (2 units available)
- American Scientific Thermometer (2 units available)
- VWR Thermometer (3 units available)
- Kessler Westbury Thermometer
- Ertco Thermometer
- Fisher Scientific Safety Flow Laboratory Hood. Exterior Dimensions: 72"Wx30"Dx96" OAH-Estimated; Gas Jets, Electrical Outlets, Integral Acid/Flammable Storage Cabinets (2 units available)
- PSI Proyptype BIER Unit
- Guided Wave 19200-002 Hydrogen Peroxide (H2O2) Vapor Monitor (5 units available)
- Dickson Chart Recorder
- Narda Electromagnetic Leakage Monitor
- Corning Hot Plate
- Enviro Safe Thermometer
- Fisher Scientific Traceable Talking Timer
- Fisher Scientific Timer (5 units available)
- Fisher Scientific Stop Watch
- Honeywell Chart Recorder. Wall Mounted, Temperature Only, with Transformer Power Supply.
- Omega CT87LC Chart Recorder. Mounted on PSI-00087 (2 units available)
- VWR Timer (3 units available)
- Fluke Clamp Meter DMM
- Biotest Air Sampler Anemometer
- Calco DI Water System
- Fisher Scientific Timer 3 Line (2 units available)
- Fluke Voltmeter
- Fluke Oscilloscope. 60 MZ; 500MS/S; Portable; Case; Stand; Probes
- Omega Chart Recorder. Mounted on PSI-0144
- Supco Chart Recorder (2 units available)
- American Air Compressor
- Ingersoll Rand Vacuum Pump. 2 hp, packaged type. (3 units available)
- Cochrane Air Compressor. 15 hp, Tank Mounted, Horizontal Air Receiver Estimated 200 Gallon Capacity. (2 units available)
- Harkison Air Dryer. 250 scfm, estimated.
- Ingersoll Rand Air Dryer
- Ingersoll Rand Air Compressor. 2 hp, Tank Mounted, Horizontal Air Receiver, Estimated 100 Gallon Capacity

- AES Lab Chem Scan RDI Microbial Detector
- Hewlett Packard Power Supply. 40 volt;250mA
- MIS-002 Particle Counter
- Shimadzu UV-Visible Spectrophotometer 115 Volt, 60 Hz, 4-Amp
- VWR mini centrifuge
- Hot Air Gun
- ACME Transformer General Purpose
- Braun Pulsed UV
- Baker Co Biological Cabinet Hood 5' Sterilgard Advance III
- Baker Co Biological Cabinet Hood 6'
- Napco Incubator Dual Door, Benchtop Unit
- Omega Chart Recorder. Mounted on PSI-00085
- Olympus DP70 Microscope Binocular WH1022/6 Eyepieces, 5 position objective turret; 10x -100x, DP70 Camera Attachment
- Thermolyne Maxi-Mix II Mixer M37615 Type 37600
- Fisher Scientific Thermix Stirring Hot Plate
- Zeiss Microscope Trinocular
- Spectroline Model ENF-240C Longlife Filter
- Scientific Industries Vortex Genie-2
- Castle Sybron Gas aerator
- Nu Aire Biological Cabinet Hood 6'. 72"
- Fisher Scientific Hood 5' Exterior Dimensions: 72"Wx30"Dx96" OAH-Estimated; Gas Jets, Electrical Outlets, Integral Acid/Flammable Storage Cabinets
- Bausch & Lomb Microscope
- Met-One Laser Particle Counter
- Fisher Scientific 3-Line Timer
- Wheaton Omnispense (2 units available)
- New Brunswick Shaker Floor Model; Top Loading
- Fisher Scientific Isotemp Incubator. Single Door, Benchtop unit.
- VWR Scientific 1228 Water Bath. 12"x13"x6"Chamber, LED Display
- Uline Counting Scale
- Seward Stomacher/Lab Blender. Sample Volume 80-400ml; 110-Volt, 60hz; 170-watt
- Branson 5200 Ultrasonic Bath
- Maytag Heavy Duty Electronic Dry Control (Dryer) (2 units available)
- B&A Autoclave with Timer, Chamber Press, Jacket Press and Chart Recorder. Rebuilt by Barnard & Associates
- Napco NLW-600E Laboratory Glassware Washer
- Drummond Pipet-Aid (2 units available)
- Integrity chamber pH temp meter 8000
- Manometer D02001W
- UV germicidal chamber GC-1
- Meri-Cal Digital Manometer
- Thermolyne Maxi-Mix II Type 37600 Mixer (2 units available)
- VWR Scientific 62344-91L Timer 3 line. Independent Timers, Count Down/Up; LCD Digital Display
- The Baker Co B60A75 bio-hood. Estimated 72"Width; 1/2 hp Blower; Lights; AC

Receptacles

- Silvan Industries 3825 Integrity Chamber Microbial Container. (2001) 110 psi @ 350 Degree F with pressure gauge/vacuum
- Victor high purity regulator
- PSI UV Chamber Parker Polyethylene Case
- Dayton 2z866 vacuum pump
- ARO Royal non-porous package tester Vacuum Gauge
- VWR Scientific Products Model 8000 pH/Temp meter
- Dwyer Instruments Lpm Air
- Dobby Hospital Sealer. 115-Volt, 300-watt, 60-Hz
- Fisher Scientific Hood 5' Exterior Dimensions: 72"Wx30"Dx96" OAH-Estimated; Gas Jets, Electrical Outlets, Integral Acid/Flammable Storage Cabinets
- Fisher Scientific Timer 3 line
- Supco Chart Recorder
- Rudolph Instruments Inc. Quartz Control Standard
- Biowhittaker Inc. Kinetic QCL. still in box
- Dot Matrix Printer. still in box
- Atago Polaz-2L Polarimeter
- Lab Line Microprocessor Oven Dry Heat. Catalog 348511; Single Door, Bench-top Unit
- Corning Stirrer/Hot Plate
- Glas-Col 099A-RD4512 14" Rugged Rotator. Diameter Platform
- Dohrmann Tension Compression Tester/ Carbon Analyzer. Two Cabinet
- Lab Line Orbit Shaker. 12" x 12" Platform Top
- Perkin Elmer Furnace Cooling System
- Fisher Scientific AR50 Conductivity Meter. Dual Channel, pH Ion Type; LCD Display, Touchpad Control; Probe & Stand
- Fisher Scientific waterbath. Isotemp 2100 Series
- Okidata Microline 320 9 pin printer
- Fisher Scientific Timer. Independent Timers, Count Down/Up; LCD Digital Display
- Guided Wave 1900-002 Hydrogen Peroxide (H₂O₂) Vapor Monitor
- Amtrol Pressuriser model RP-25HP
- Nu Aire NU-425-600 Hood 6'
- Omega CT711000 Chart Recorder
- Scientific Industries Vortex Genie-2 (3 available)
- VWR Timer 3 Line (2 available)
- VWR Scientific Three Channel Timer. Independent Timers, Count Down/Up; LCD Digital Display
- Nu Aire Biological Cabinet Hood 6'. 72" Width
- 3M 5XL gas sterilizer. Steri-Vac Series
- Joslyn ETO bier unit. Custom Designed & Fabricated Biological Indicator Evaluation Resistometer (2 available)
- Techne DB-300AF heat block
- Donaldson 4633892001 ETO Abator. Ethylene Oxide Abator
- Joslyn Steris Steam Bier Unit
- PSI VhyPhR Bier System Custom Designed & Fabricated Biological Indicator

Evaluation Resistometer

- Leica 3325 Darkfield Colony Counter, Quebec Type. (2 available)
- Heat block 127
- 3M aHest 290-Auto Reader
- Watlow Infrared 100639
- VWR Anaerobic Incubator A_143 (2 available)
- Ultrasonic Cleaner Branson 5200
- Reichert Darkfield Colony Counter. Quebec Type
- Lindberg Blue SWB1122A-1 water bath
- Impulse foot pedal Sealer MP-24F
- Watlow Infrared
- Vertrod 9A/CAB Thermal Impulse Heat sealing. 10" Width, 500 Watt; Foot Pedal; Cabinet Base
- DC Power Supply
- Watlow Infrared 100630
- Alpha Unit Block (4 units available)
- Applied Biosystems Thermal Cycler
- Boekel Scientific Polar Block II Freezer
- Dickson KTX chart recorder
- DuPont Riboprinter Microbial Characterization System With PC Workstation, 15" LCD Flat Panel Display Monitor & Arm; Topaz UPS System; Cart Work Desk w/ PC Keyboard Drawer (3 units available)
- Dupont heat block (3 units available)
- Formal Scientific Biological Safety Cabinet. 48" width
- Thermolyne Mixer M37615 (2 units available)
- Nu Aire Biological Cabinet Hood 12' right
- Nu Aire Biological Cabinet Hood 12' left. Estimated 72"Wx30"Dx84"H Overall Exterior Dimensions; Magnehelic Differential Pressure Gauge.
- Omega CT87LC chart recorder, Temperature Only
- Powers Scientific Refrigerator/Cooler. Dual Glass Doors; Adjustable Shelving; Estimated Overall Exterior Dimensions 48"Wx30"Dx72"H
- PSI Custom Genetic Analyzer/ Incubator
- Rainin E12-200 12-Channel Auto Pipette. 12 Channel; Automatic; 20 to 200 uL, Adjustable Volume, Rechargeable Base/Stand
- Ribo Printer Microbial Characterization System With PC Workstation, 15" LCD Flat Panel Display Monitor & Arm; Topaz UPS System; Cart Work Desk w/ PC Keyboard Drawer
- Sanyo MC0-17A1CO2 Incubator
- Scientemp Cryo Freezer
- Scientemp 45-3.1 cryo freezer
- Vista Lab Technologies Bionatural Pipette. 100uL Fixed Vol., Single Channel
- VistaLab Ovation 1057-0010 Bionatural Pipette. 10uL Fixed Volume, Single Channel (2 units available)
- Pipetteman VistaLab Ovation 1057-0200. 20 to 200uL, Adjustable Volume, Single Channel (3 units available)
- Bionatural Pipette VistaLab Technologies 1157-0100. 100uL Fixed Vol., Single

Channel (3 units available)

- Watlow VHP BIER Unit prototype
- flow meter
- nozzle
- syringe pump
- caliper
- variac
- timer
- Pipette Auto channel
- Baker & Co. Inc Biological Safety Cabinet Hood 4'. Estimated 4' Width
- Sanyo CO2 Incubator
- Heat block 127
- VWR heat block. 4" x 6" Well
- CAT-562 microscope. Binocular Eyepiece. Single Objective, Zoom Capabilities
- Turbo Gauge PFA10
- Epson LX-300
- Mettler DL70 Titrator. Comes with PC workstation & Printer
- HP Vectra XA D3990A w/Accusync Monitor and Keyboard
- Peak Scientifix 60680 Purge Gas Generator
- Waters 2487 dual absorbance detector with Waters 600 Controller Head (NIS)
- Digital PC 5000 w/ monitor and keyboard
- Beckman PU-64 spectrophotometer
- Mattson 9423-290-01001 Spectrophotometer
- Agilent 1100 Series With: Sample Tray; G1379A Degasser ; G-1312A Bin Pump 2; G-1367A WPALS0; G-1316A ColCorn Unit ; G-1513B DAD S/N: & PC Workstation.
- PERMEA Nitrogen Gas Generator LAB Air Separation System
- Spectra Max Plus 384
- Turbo TCD-200 Gauge with Chatillon Turbo Gauge DSA-100; Chatillon Turbo Gauge DSA-10
- Chatillon TCP200 TCD-200
- Agilent 6890N with Agilent Auto Sampler 7683 Series; Model G-2614A , PC Workstation.
- Millipore Chart Recorder
- Hewlett Packard Vectra Exchange Tower
- NEC Monitor
- Corning Hot Plate
- Corning PC-310 stirring hot plate
- Corning PC-600 hot plate (3 units available)
- Fisher Scientific heat block 3" x 2" Well
- General Electric refrigerator and freezer
- Precision Scientific 86 water bath
- Thermolyne hot plate Cimarec series
- VWR Scientific three-channel timer. Independent Timers, Count Down/Up; LCD Digital Display
- JB industries vacuum pump. 1/2 hp
- Fisher Scientific 93-608Q Hood 5'. Exterior Dimensions: 72"Wx30"Dx96" OAH-

Estimated; Gas Jets, Electrical Outlets, Integral Acid/Flammable Storage Cabinets

- Barnstead Bioresearch Water System Easypure UF
- Corning stirrer
- Denver Instruments Coulometric KF Titrator
- Denver Instruments titrator. pH ISE Conductivity Titration Controller with Stand, Probes; #275KF Coulometrics KF Titrator
- Lab Line 3608 vacuum oven. Squaroid Series
- Metler-Toledo AE100 analytical balance. Draft Shield
- Mettler PM4600 Digital Scale G42820. Top balance Delta Range Series
- Mettler PM4600 Digital Scale H37041. Delta Range Series
- Blue M OV-470A dry oven. Single Door, Benchtop unit.
- Lab Line 403 LC incubator. Bench Top Unit; Single Metal Door, Adjustable Shelving; 120-volt, 50/60 Hz; 3.3 Amp, 400 Watt
- VWR Vortexer 2
- Sorvall ST-Micro (2 units available)
- Precision 330 Tower w/ Monitor and Keyboard
- Laserjet 2200d
- Schauer Model C77612 10 Amp Transformer/Voltage Regulator
- corning stirring hot plate
- rocker
- Biorad Powerpac 300 Variable Power Supply. Electrophoresis Use (3 units available)
- Boekel Scientific Rocker II
- Spectraline Ultraviolet Transilluminator
- Tomy EE1380 eco-fuge. High Speed Thermoelectric Cooling; Bench-top unit.
- VWR heat block. 4" x 6" Well
- VWR heat block. 4" x 9" Well (2 units available)
- Lab Care America Steam Bath
- Pacific Scientific 9703 particle counter. HIAC Royco
- Boekel Scientific minifridge II. 70-Watt; 115 Volt, .66-Amp, 60-Hz, 1-Phase
- Techne HB-1D Hybridizer. Cimarec series
- Sorvall ST-21centrifuge
- Ultraviolet Crosslinker Ultra Lum
- Biorad GS-800 Calibrated Densitometer with PC
- Biotech Instruments ELX-50 Autostrip Plate Washer
- Forma Scientific Refrigerator/Freezer
- Pharmacia Biotech Fraction Collector. 10" Diameter Index Wheel
- Biorad EP-1 Econo Gradient Pump. 100/200 Volt, 100vA;56/60Hz (2 units available)
- EC Apparatus Corp Variable Power Supply. LED Indicators
- Pods Section B 24
- Cole Parmer vacuum pump L-79200-00 (2 units available)
- Corning hot plate stirrer
- Pipetaide Drummond (5 units available)
- General Electric freezer hot point. Estimated 17 Cubic Foot Capacity
- General Electric vacuum pump
- Hanovia UV Light Source Lethelray. Portable, Castors; Estimated 18" Length UV Tube, 15 Minute Delay Timer & 12 hour duration timer.

- Klarmann Rulings Stage Micrometer
- Omega thermometer hand held.
- Thermolyne Vortexer
- VWR Timer 3 line Independent Timers, Count Down/Up; LCD Digital Display (4 units available)
- VWR Timer
- VWR Thermometer (2 units available)
- pressure gauge
- Air Sampler
- Furniture Sec. B
- VWR GDM-47 refrigerator. Display Type; Dual Door; Adjustable Shelving; Estimated Overall Exterior Dimensions: 60"Wx30"Dx84"H
- Omega CT87LC chart recorder.
- Fisher Scientific 93-608Q Hood 5'. Exterior Dimensions: 72"Wx30"Dx96" OAH- Estimated; Gas Jets, Electrical Outlets, Integral Acid/Flammable Storage Cabinets
- LabLine CO2 Incubator
- Sanyo MC0-17A1 CO2 incubator. Floor Model, 37C, Programmable, Single Metal Door
- Mettler- Toledo AG285 analytical balance. 285 Gram Capacity; with Draft Shield; LCD Display
- Millipore Gauge
- Biorad Electrophoresis Unit Protean IEF Cell. IsoElectric Focusing Type, 120/240 Volt, 50/60 Hz, 750 Watt.
- Lab Line incubator. Bench Top Unit; Single Metal Door, Adjustable Shelving; 120-volt, 50/60 Hz; 3.3 Amp, 400 Watt
- Labline 403 LC incubator. Bench Top Unit; Single Metal Door, Adjustable Shelving; 120-volt, 50/60 Hz; 3.3 Amp, 400 Watt
- Napco 5400 CO2 incubator. Floor Model, Dual Cabinets Equipped with Single Metal Door.
- Olympus CK microscope. Inverted Type; Binocular Olympus CK10X Eyepieces; Camera Port; 3 Position Objective Turret.
- Hund Wetzler Wilovert A microscope. Inverted Type; Binocular 10X Eyepieces; 3 Position Objective Turret w/ Hund 4X ,10X, 100X Lenses.
- Will Wetzler Wilovert A inverted microscope. Binocular 10x Eyepieces; 4-Position Objective Turret with (3) Lenses; Top Light Source
- Wheaton Roller Culture Apparatus
- Sorvall Heraeus LAC-250
- VWR 94300 50/60Hz Mini-Vortexer
- LabLine 397 CO2 Incubator. Floor Model; Estimated 72" OA Height; Single Glass Door, Hi/Lo Limit Indicators, 37C, 120 volt, 50/60 Hz, 11.7 Amp, 1400 Watts (2 units available)
- Labline 18100R water bath. Aquabath Series, Estimated 18"x10"x6" Chamber; 120 Volt, 50/60 Hz, 8.33 Amps, 1000 Watts
- Sorvall RC-4 centrifuge. (2002) Rotor, Model LAC-250 S/N: 40150285; 208/230 Volt, 50/60 Hz, 15 Amp, 2.8kW
- Considered Part of PSI-00420 listed above (509-08)

- Thermolyne Locator 8 Cryo Biological Storage Unit Plus Comes with Liquid Nitrogen Level Monitor
- Whirlpool DP840CWDBC washer
- Reimers Electra Steam steam generator. 50hp; 100-psi
- Reimers Electra Steam steam generator. 75hp, 100 psi
- AEG UCR Electronic battery charger
- Biotest Air Sampler RCS High Flow
- Met One 237B Laser Particle Counter
- Portable Hand-held Unit pH Meter
- Castle autoclave
- Amsco 3023 autoclave. Eagle Series, Vacumatic; Pressure Gauge
- Fisher Scientific Thermix Stirring Hot Plate
- Thermolyne Stirring Hot Plate. Cimarec 3 Series, 12"x12" Surface, Variable Heat/Stir Controls (2 units available)
- physio control automatic dispenser unit. Volumetric, 50-100ml Preprogrammed, Footpedal
- Envir Co Hood Overhead Hepa
- Nu Aire Biological Cabinet Hood 12' left
- Nu Aire Biological Cabinet Hood 12' right
- Siemens Clarus H2O2 Generator. Simatic OP7 Touch Programmable Controls.
- LaCalhene isolator. Allen Bradley 550 Panel View Controls; Steris Model 356256-965 Hydrogen Peroxide Monitor
- Millipore Steritest Compact Pump TCPU11560
- LaCalhene 316 II Steritest Intergral Series, Allen Bradley 550 Panel View Controls; Stainless Steel Construction; Transparent Acrylic Plastic Panels; Estimated 15"x12" Port; 12 Diameter Port.
- Hanovia UV light source lethelray. Portable, Castors; Estimated 18" Length UV Tube, 15 Minute Delay Timer & 12 hour duration timer.
- La Calhene 316 II Steritest Chamber
- Baker Co Hood 6'
- Omega chart recorder. Wall Mounted, Temperature/Humidity, with Transformer Power Supply.
- Omega CT87LC chart recorder
- PSI incubator Custom Design (2 units available)
- Scientific Industries G-560 vortex mixer
- The Baker Company Sterilgard Biological Safety Cabinet SG400. Class II, Type B3; 48"W; 120 Volt; 60Hz, 14.5 Amp
- Incubator Walk In
- Vitek colorimeter
- EM Science 64000H/94 Automated Slide Gvam Stainer. Midas III Series • Olympus BH2 microscope. Binocular WK10X/20L Eyepieces; 5-Position Turret Objective; (3) Lenses; 10x, 40x, 100x Magnification; Digital Camera Adapter; Model DP12 w/Computer Interface; Olympus Manual Control Video Adapter; Dell Tower Computer Pentium 4, Windows XP Operating System
- Bio Merieux Vitek Reader/ Incubator. Filler/Sealer
- Kenmore 106.9608212 Refrigerator & Freezer (1992) Estimated 17 Cubic Foot

Capacity; 63"x31"x29"

- Precision Selecting 31837
- Dickson KTA chart recorder. Wall Mounted, Temperature Only, with Transformer Power Supply.
- Dickson KTX chart recorder
- Honeywell 4300 chart recorder
- Pospisil Graziano incubator. Estimated 12'Wx12'Dx10'H Overall Exterior Dimensions, Aluminum Construction, Norfab Single Door Aluminum Construction with 10"x10" Window
- Precision 30M Mechanical Convection Incubator. Catalog Number 31037; Floor Model, Single Glass Door, Adjustable Shelves, 36"Wx30"Dx89"H Overall Exterior Dimensions.
- PSI incubator. Custom Modified Room, Watlow Temperature Indicator.
- Supco chart recorder
- Supco chart recorder. Wall Mounted, Temperature Only, with Transformer Power Supply.
- Supco CR5 chart recorder. Multifunction, Wall Mounted, Transformer Power Supply.
- Supco CR8HT temperature recorder, Temperature Only, with Transformer Power Supply.
- Scientemp cryo freezer. Floor Model; Top Door; 70 Degree Centigrade; Honeywell Digital Thermometer; Estimated 15 cubic foot capacity; Sona Audible and Visual Alarms.
- Napco 3412 CO2 incubator. Single Door, 8' OA Height, Chamber Temperature Indicator, Programmable 120-volt, 1- Phase, 60 Hz, 600-Watt (2 units available)
- Norlake scientific refrigerator. Estimated 8" Wx10'Dx12'H Overall Exterior Dimensions, Single Door, All Aluminum Construction with 10"x18" Window; Product Controller; Air Controller, Norlake Programmable Controls, Honeywell Chart Recorder
- Penn cold room freezer. Walk in type; Norfab Single Door, Estimated 10'x20'x10x; with Watlow Series 910 Temperature Indicator
- W-152 ISE In-Sink Erator
- B. Braun Biotech International MFCS/win2.0
- Branson 5510 Ultrasonic Cleaner
- Mettler-Toledo PG2002-S Balance
- Burrell 75 Wrist Action Shaker. 60 Second Interval Timer, Dual (16) Position Clamps.
- Branson 250 Sonifier With Branson Ultrasonic #102 Converter
- The Baker Company Sterilgard Biological Safety Cabinet VBM-400 Class II, Type B3; 48"W; 120-Volt; 60 Hz, Blower, Receptacles
- Baker Co VBM-400 Sterilgard Biological Safety Cabinet Hood 6' Class II, Type B3; 48"W; 120 Volt; 60Hz, Blower, Lights, Receptacles.
- YSI 2700M biochemistry analyzer. Select Series
- YSI 8500 Dissolved CO2 Analyzer with Canister Filler
- YSI Biovision 8500 CO2 Monitor
- Beckman J2-21M Centrifuge
- B. Braun Biostat C fermentor (2002) National Board Number: 158; MAWP: Shell FV +43,5-psi @ 300 Degree F; Jacket FV +58,0-psi @ 300 Degree F; Sussman Model ES10A Electric Boiler, 16 kW; Sussman Model SSB06A Electric Boiler; (2) 1/3 hp

Circulation Pumps; Cartridge Filters.

- The Baker Company Sterilgard Biological Safety Cabinet 72" Floor Model
- Lab Line 6201 Microprocessor CO2 Incubator. Single Door, Adjustable Shelves
- Bacharach Fyrite Gas Analyzer O2 and CO2 Indicators
- Sartorius Scale
- Thermolyne Model M37615 Maxi-Mix II (2 units available)
- Millipore Steritest Compact Timer (2 units available)
- Oster Osterizer base
- Biotest RCS
- Air Sampler Biotest RCS Hycon
- Hycon Air Sampler highflow with remote
- Hycon Air Sampler highflow
- AEG UCR Accu 2000 battery charger. Biotest batteries (4 units available)
- Thelco 31487 incubator. Bench Top Unit; Dual Door, Adjustable Shelving (Melted Media Storage Cabinet)
- Reichert-Jung 3327 Darkfield Colony Counter Quebec Series, Built-in Counter Clicker; 120 Volt, 60Hz, 10 Amp, 90 Watt. (2 units available)
- Precision Scientific 30M Mechanical Convection Incubator Catalog Number 31037; Floor Model, Single Glass Door, Adjustable Shelves, 36"Wx30"Dx89"H Overall Exterior Dimensions.
- Fisher Scientific 115 WaterBath Isotemp Series; Dual Chamber
- Baker Co VBM600 Hood 6' Estimated 72" Width; 1/2 hp Blower; Lights; AC Receptacles (2 units available)
- Lindberg Blue SWB1122A1 WaterBath
- Millipore Steritest Compact Pump TCPU11560
- Omega Model CT872LC chart recorder. Wall Mounted, Temperature Only, with Transformer Power Supply.
- Supco CR87BC chart recorder. Wall Mounted, Temperature/Humidity, with Transformer Power Supply.
- omega chart recorder
- heat block 190G
- cole parmer pump
- Dickson TH603 Chart Recorder
- Eberbach Mechanical Shaker Estimated 10"x20" Size, with Platform; 115 Volt, 60-Hz. (3 units available)
- Supco chart recorder
- Thermolyne vortex Maxi-Mix II Type 37600
- Bio-Science International Pbi SAS Super Air Sampler with Tripod & Adaptor & case
- Germfree Bioflow Chamber Hood 4' Estimated 48"Wx30"Dx60"H Overall Exterior Dimensions; Magnehelic Differential Pressure Gauge.
- Precor Treadmill C934
- Precor Stepmaster EFX 524
- Precor S3.45 multifunction station
- Cybex FT 360
- Diamondback Stationary Bicycle 1100R
- Lunaire CEO932-4 environmental chamber. Single Door, 8' OA Height, Programmable,

Caster Base, 208/203 Volt, 1-Phase, 60Hz; Honeywell Chart Recorder, Watlow Temperature & Humidity Indicators.

- Lunaire / CEO958-4 envi-chamber. Dual Door, 8' OA Height, Programmable, Caster Base, 208/203 Volt, 1-Phase, 60Hz; Honeywell Chart Recorder
- Lunaire / CEO958W-4. Dual Door, 8' OA Height, Programmable, Caster Base, 208/203 Volt, 1-Phase, 60Hz; Honeywell Chart Recorder
- Supco CR4 chart recorder. Multifunction, Wall Mounted, Transformer Power Supply.
- Supco CRTH-II chart recorder. Wall Mounted, Temperature/Humidity, with Transformer Power Supply.
- Lunaire environmental chamber. Custom
- omega chart recorder

.....
IET | International Equipment Trading Ltd:
Proudly serving laboratories worldwide - Since 1979.

IET Ltd. maintains a large inventory of refurbished analytical instruments and accessories from leading manufacturers such as Applied Biosystems, Hewlett-Packard, Agilent, Thermo, Sciex, Varian, Bruker, Perkin Elmer, Shimadzu, Hitachi, JEOL and others. The equipment includes electron microscopes, gas chromatographs, high pressure liquid chromatographs, centrifuges, elemental analyzers, atomic absorption, inductively coupled plasma (ICP), uv-vis, infrared, X-ray, mass and nuclear magnetic resonance (NMR) spectrometers.

Used & Refurbished Lab Equipment New Arrivals:

- *Thermo-LTQ FT
- *Michrom Capillary Magic 2002 HPLC
- *Agilent 1100 Nanoflow LC bundle (Agilent G2229A)
- *& More!



www.IetLtd.com Proudly serving laboratories worldwide since 1979

CALL 001.847.913.0777 for Certified, Refurbished Lab Equipment